

**Rider 108**  
**Data Compliance**

**I. Computerization:**

- A. All data processing software and hardware, and **all other equipment or goods** capable of displaying, manipulating or processing date information must function materially without regard to date or century.
- B. MD Anderson will not accept any noncompliant equipment, software, or related upgrades not capable of sorting, processing, calculating, or unambiguously displaying the century, date, month, and day. Any upgrades or returns shall be at Contractor's expense.

**II. Cellular Phones and Two-Way Radios:**

- A. Susceptibility of Equipment: Contractor shall provide clearly written and well-defined information regarding the susceptibility of the Equipment to interference from two-way radios and/or cellular phones. Such information shall include but not be limited to the potential risks caused by such interference, the distance (in feet) that such Equipment is affected by such interference, and any recommended warnings and/or notices that should be conspicuously located on the Equipment. Placement of such notices and/or warnings on the Equipment by the OEM shall suffice for these requirements except for the additional identification of potential risks, if not already included.
- B. Modified Equipment: Contractor shall also identify in writing any Equipment that has been modified to prevent interruption by cellular phones and/or two-way radios.
- C. Potential Disqualification: Failure to provide in writing the information set forth in Sections (A) and (B) above, even if only to advise that there are no effects by such exposures, shall disqualify the solicitation until resolved.
- D. Obligation to Obtain Information: It shall be Contractor's responsibility to obtain information from MD Anderson's Department of Environmental Health and Safety as to which areas on MD Anderson's premises are restricted against the use of cellular phones and two-way radios.