


Disclaimer: This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.



NED = no evidence of disease  
 ¹Includes appendiceal cancer

²**Category 1:** Stage I, no evidence of disease at 3 years. **Category 2:** Stage II, IIIA-C and IV, no evidence of disease at 5 years


³The recommended screening intervals for individuals with adenomatous polyps on most recent colonoscopy, genetic predisposition to colon cancer or a history of inflammatory bowel disease can be found in the [Colorectal Cancer Screening Algorithm](#)

Disclaimer: This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.

**ELIGIBILITY**

**CONCURRENT COMPONENTS OF VISIT**

**DISPOSITION**



NED = no evidence of disease

<sup>1</sup>Includes appendiceal cancer

<sup>2</sup>See [Physical Activity](#), [Nutrition](#), and [Tobacco Cessation](#) algorithms; ongoing reassessment of lifestyle risks should be a part of routine clinical practice

<sup>3</sup>Includes [breast](#), [cervical](#) (if appropriate), [liver](#), [lung](#), [pancreatic](#), [prostate](#), and [skin cancer screening](#)

<sup>4</sup>Consider use of Vanderbilt's [ABCDE's approach to cardiovascular health](#)

<sup>5</sup>Based on [Centers for Disease Control and Prevention \(CDC\) guidelines](#)

Disclaimer: This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.

## SUGGESTED READINGS

- Ahmed, S. U., and Eng, C. (2015). Colorectal Cancer Survivorship Management. In *Advances in Cancer Survivorship Management* (pp. 71-93). Springer New York.
- Anderson, A. S., Steele, R., & Coyle, J. (2013). Lifestyle issues for colorectal cancer survivors—perceived needs, beliefs and opportunities. *Supportive Care in Cancer*, 21(1), 35-42.
- André, T., Boni, C., Navarro, M., Tabernero, J., Hickish, T., Topham, C., ... & de Gramont, A. (2009). Improved overall survival with oxaliplatin, fluorouracil, and leucovorin as adjuvant treatment in stage II or III colon cancer in the MOSAIC trial. *Journal of Clinical Oncology*, 27(19), 3109-3116.
- Centers for Disease Control and Prevention. (2018, March 5). *Recommended immunization schedule for adults aged 19 years or older, United States 2018*. Retrieved from <https://www.cdc.gov/vaccines/schedules/hcp/imz/adult.html>
- Chambers, S. K., Meng, X., Youl, P., Aitken, J., Dunn, J., & Baade, P. (2012). A five-year prospective study of quality of life after colorectal cancer. *Quality of Life Research*, 21(9), 1551-1564.
- Chang, G. J., Hu, C. Y., Eng, C., Skibber, J. M., & Rodriguez-Bigas, M. A. (2009). Practical application of a calculator for conditional survival in colon cancer. *Journal of Clinical Oncology*, 27(35), 5938-5943.
- Das, P., Cantor, S. B., Parker, C. L., Zampieri, J. B., Baschnagel, A., Eng, C., ... & Crane, C. H. (2010). Long-term quality of life after radiotherapy for the treatment of anal cancer. *Cancer*, 116(4), 822-829.
- Denlinger, C. S., Barsevick, A. M. (2009). The challenges of colorectal cancer survivorship. *Journal of the National Comprehensive Cancer Network*, 7(8), 883-894.
- Earle, C. C., and Ganz, P. A. (2012). Cancer survivorship care: Don't let the perfect be the enemy of the good. *Journal of Clinical Oncology*, 30(30), 3764-3768.
- Faul, L. A., Shibata, D., Townsend, I., & Jacobsen, P. B. (2010). Improving survivorship care for patients with colorectal cancer. *Cancer control: journal of the Moffitt Cancer Center*, 17(1), 35.
- Gray, N. M., Hall, S. J., Browne, S., Macleod, U., Mitchell, E., Lee, A. J., ... & Campbell, N. C. (2011). Modifiable and fixed factors predicting quality of life in people with colorectal cancer. *British Journal of Cancer*, 104(11), 1697.
- Kopetz, S., Chang, G. J., Overman, M. J., Eng, C., Sargent, D. J., Larson, D. W., ... & McWilliams, R. R. (2009). Improved survival in metastatic colorectal cancer is associated with adoption of hepatic resection and improved chemotherapy. *Journal of Clinical Oncology*, 27(22), 3677-3683.
- Meyerhardt, J. A., Giovannucci, E. L., Ogino, S., Kirkner, G. J., Chan, A. T., Willett, W., & Fuchs, C. S. (2009). Physical activity and male colorectal cancer survival. *Archives of Internal Medicine*, 169(22), 2102-2108.
- Meyerhardt, J. A., Mangu, P. B., Flynn, P. J., Korde, L., Loprinzi, C. L., Minsky, B. D., ... & Benson III, A. B. (2013). Follow-up care, surveillance protocol, and secondary prevention measures for survivors of colorectal cancer: American Society of Clinical Oncology clinical practice guideline endorsement. *Journal of Clinical Oncology*, 31(35), 4465-4470.
- Ligibel, J. (2012) Lifestyle Factors in Cancer Survivorship. *Journal of Clinical Oncology*, 30(30), 3697-3704.
- National Comprehensive Cancer Network. NCCN Clinical Practice in Oncology: Colon Cancer V2.2017. [www.nccn.org](http://www.nccn.org) (Accessed on July 2017).
- Ode, K., Patel, U., Virgo, K. S., Audisio, R. A., & Johnson, F. E. (2009). How initial tumor stage affects rectal cancer patient follow-up. *Oncology reports*, 21(6), 1511-1517.

*Continued on next page*

Disclaimer: This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.

---

## SUGGESTED READINGS - continued

- Richards, C. H., Leitch, E. F., Horgan, P. G., Anderson, J. H., McKee, R. F., & McMillan, D. C. (2010). The relationship between patient physiology, the systemic inflammatory response and survival in patients undergoing curative resection of colorectal cancer. *British Journal of Cancer*, 103(9), 1356.
- Romanus, D., Weiser, M. R., Skibber, J. M., Ter Veer, A., Niland, J. C., Wilson, J. L., ... & Schrag, D. (2009). Concordance with NCCN colorectal cancer guidelines and ASCO/NCCN quality measures: An NCCN institutional analysis. *Journal of the National Comprehensive Cancer Network*, 7(8), 895-904.
- Schlesinger, S., Walter, J., Hampe, J., von Schönfels, W., Hinz, S., Küchler, T., ... & Nöthlings, U. (2014). Lifestyle factors and health-related quality of life in colorectal cancer survivors. *Cancer Causes & Control*, 25(1), 99-110.
- Steele, S. R., Chang, G. J., Hendren, S., Weiser, M., Irani, J., Buie, W. D., & Rafferty, J. F. (2015). Practice guideline for the surveillance of patients after curative treatment of colon and rectal cancer. *Diseases of the Colon & Rectum*, 58(8), 713-725.
- Vanderbilt Cardio-Oncology Program. (2017). *Know Your ABCDE's*. Retrieved from <http://www.cardioonc.org/2017/08/29/know-your-abcs/>

Disclaimer: *This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.*

---

## DEVELOPMENT CREDITS

This survivorship algorithm is based on majority expert opinion of the Colorectal Survivorship work group at the University of Texas MD Anderson Cancer Center. It was developed using a multidisciplinary approach that included input from the following:

Therese B. Bevers, MD (Clinical Cancer Prevention)  
George J. Chang, MD, MS (Surgical Oncology)  
Elise Cook, MD (Clinical Cancer Prevention)  
Robin Coyne, APRN, FNP-BC (CPC Provider Income & Activity)  
Joyce Dains, DrPH, APRN, FNP-BC (Department of Nursing)  
Suzanne Day, APRN, FNP-BC (CPC Provider Income & Activity)  
Cathy Eng, MD (GI Medical Oncology)  
Shonice Holdman, MBA ♦  
Tiffany Jackson, APRN, FNP-BC (CPC Provider Income & Activity)  
Marita Lazzaro, APRN, ANP-BC (CPC Provider Income & Activity)  
Paula Lewis-Patterson, DNP, RN, NEA-BC (Cancer Survivorship)  
Ana Nelson, APRN, FNP-BC (CPC Provider Income & Activity)  
Lonzetta Newman, MD (Clinical Cancer Prevention)  
Tilu Ninan, APRN, ANP-BC (CPC Provider Income & Activity)  
Aki Ohinata, PA-C (GI Medical Oncology)  
Amy Pai, PharmD ♦

♦ Clinical Effectiveness Development Team