


Disclaimer: This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.



NED = no evidence of disease

HNSVC = Head and Neck Survivorship clinic

<sup>1</sup> See [Physical Activity, Nutrition, and Tobacco Cessation](#) algorithms; ongoing reassessment of lifestyle risks should be a part of routine clinical practice

<sup>2</sup> Includes [breast, cervical \(if appropriate\), colorectal, liver, lung, pancreatic, prostate and skin cancer screening](#)

<sup>3</sup> Based on [Centers for Disease Control and Prevention \(CDC\) guidelines](#)

<sup>4</sup> Consider use of Vanderbilt's [ABCDE's approach to cardiovascular health](#)

Copyright 2020 The University of Texas MD Anderson Cancer Center

Disclaimer: *This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.*

## SUGGESTED READINGS

- American Cancer Society. (n.d.) American Cancer Society guidelines for the early detection of cancer. Retrieved from <https://www.cancer.org/healthy/find-cancer-early/cancer-screening-guidelines/american-cancer-society-guidelines-for-the-early-detection-of-cancer.html>
- Baxi, S. S., Pinheiro, L. C., Patil, S. M., Pfister, D. G., Oeffinger, K. C., & Elkin, E. B. (2014). Causes of death in long-term survivors of head and neck cancer. *Cancer*, 120(10), 1507-1513. <https://doi.org/10.1002/cncr.28588>
- Centers for Disease Control and Prevention. (2020). Recommended immunization schedule for adults aged 19 years or older, United States, 2020. Retrieved from <https://www.cdc.gov/vaccines/schedules/hcp/imz/adult.html>
- Dirix, P., Nuyts, S., Vander Poorten, V., Delaere, P., & Van den Bogaert, W. (2008). The influence of xerostomia after radiotherapy on quality of life. *Supportive Care in Cancer*, 16(2), 171-179. <https://doi.org/10.1007/s00520-007-0300-5>
- Epstein, J. B., Robertson, M., Emerton, S., Phillips, N., & Stevenson-Moore, P. (2001). Quality of life and oral function in patients treated with radiation therapy for head and neck cancer. *Head & Neck*, 23(5), 389-398. <https://doi.org/10.1002/hed.1049>
- Joshi, A., Calman, F., O'Connell, M., Jeannon, J. P., Pracy, P., & Simo, R. (2010). Current trends in the follow-up of head and neck cancer patients in the UK. *Clinical Oncology*, 22(2), 114-118. <https://doi.org/10.1016/j.clon.2009.11.004>
- Licitra, L., Felip, E., & ESMO Guidelines Working Group. (2009). Squamous cell carcinoma of the head and neck: ESMO clinical recommendations for diagnosis, treatment and follow-up. *Annals of Oncology*, 20(4), 121-122. <https://doi.org/10.1093/annonc/mdp149>
- Lohia, S., Rajapurkar, M., Nguyen, S. A., Sharma, A. K., Gillespie, M. B., & Day, T. A. (2014). A comparison of outcomes using intensity-modulated radiation therapy and 3-dimensional conformal radiation therapy in treatment of oropharyngeal cancer. *JAMA Otolaryngology–Head & Neck Surgery*, 140(4), 331-337. <https://doi.org/10.1001/jamaoto.2013.6777>
- Mortensen, H. R., Jensen, K., Aksglæde, K., Behrens, M., & Grau, C. (2013). Late dysphagia after IMRT for head and neck cancer and correlation with dose–volume parameters. *Radiotherapy and Oncology*, 107(3), 288-294. <https://doi.org/10.1016/j.radonc.2013.06.001>
- National Comprehensive Cancer Network. (2020). Head and Neck Cancers (Version 2.2020). [https://www.nccn.org/professionals/physician\\_gls/pdf/head-and-neck.pdf](https://www.nccn.org/professionals/physician_gls/pdf/head-and-neck.pdf)
- National Comprehensive Cancer Network. (2020). Survivorship (Version 1.2020). [https://www.nccn.org/professionals/physician\\_gls/pdf/survivorship.pdf](https://www.nccn.org/professionals/physician_gls/pdf/survivorship.pdf)
- Roh, J. L., Kim, A. Y., & Cho, M. J. (2005). Xerostomia following radiotherapy of the head and neck affects vocal function. *Journal of Clinical Oncology*, 23(13), 3016-3023. <https://doi.org/10.1200/JCO.2005.07.419>
- Saba, N.F. (2020). Posttreatment surveillance of squamous cell carcinoma of the head and neck. *UpToDate*. Retrieved September 30, 2020, from <https://www.uptodate.com/contents/posttreatment-surveillance-of-squamous-cell-carcinoma-of-the-head-and-neck>
- Saito, Y., Ebihara, Y., Ushiku, T., Omura, G., Kobayashi, K., Ando, M., ... Asakage, T. (2014). Negative human papillomavirus status and excessive alcohol consumption are significant risk factors for second primary malignancies in Japanese patients with oropharyngeal carcinoma. *Japanese Journal of Clinical Oncology*, 44(6), 564-569. <https://doi.org/10.1093/jjco/hyu042>
- Teknos, T. N., & Kang, S. (2020). Second primary malignancies in patients with head and neck cancers. *UpToDate*. Retrieved September 30, 2020, from <https://www.uptodate.com/contents/second-primary-malignancies-in-patients-with-head-and-neck-cancers>
- Vanderbilt Cardio-Oncology Program. (2017). Know Your ABCDE's. Retrieved from <http://www.cardioonc.org/2017/08/29/know-your-abcs/>

Disclaimer: *This algorithm has been developed for MD Anderson using a multidisciplinary approach considering circumstances particular to MD Anderson's specific patient population, services and structure, and clinical information. This is not intended to replace the independent medical or professional judgment of physicians or other health care providers in the context of individual clinical circumstances to determine a patient's care. This algorithm should not be used to treat pregnant women.*

---

## DEVELOPMENT CREDITS

This survivorship algorithm is based on majority expert opinion of the Head and Neck Survivorship work group at the University of Texas MD Anderson Cancer Center. It was developed using a multidisciplinary approach that included input from the following:

Richard Cardoso, DDS (Oral Oncology)  
Mark Chambers, DMD (Oral Oncology )  
Eduardo Diaz Jr., MD (Head & Neck Surgery)  
Bitá Esmaeli, MD (Ophthalmic Plastic Surgery)  
Steven Frank, MD (Radiation Oncology)<sup>‡</sup>  
Paul Gidley, MD (Head & Neck Surgery)  
Ann Gillenwater, MD (Head & Neck Surgery)  
Katherine Gilmore, MPH, BA (Cancer Survivorship)  
Ryan Goepfert, MD (Head & Neck Surgery)  
Dan Gombos, MD (Ophthalmology)  
Ehab Hanna, MD (Head & Neck Surgery)  
Amy Hessel, MD (Head & Neck Surgery)  
Theresa Hofstede, DDS (Oral Oncology)  
Kate Hutcheson, PhD (Speech Pathology & Audiology)  
Harjeet Kaur, MSN, RN, CNL, CMQ<sup>♦</sup>  
Michael Kupferman, MD (Head & Neck Surgery)

Stephen Lai, MD, PhD (Head & Neck Surgery)  
Miriam Lango, MD (Head & Neck Surgery)  
Carol Lewis, MD, MPH (Head & Neck Surgery)  
Guojun Li, PhD (Head & Neck Surgery- Research)  
Charles Lu, MD (Thoracic Head & Neck Medicine)<sup>‡</sup>  
Jeffrey Myers, MD, PhD (Head & Neck Surgery)  
Marc-Elie Nader, MD (Head & Neck Surgery)  
Adegbenga Otun, DDS (Oral Oncology)  
Kristen Pytynia, MD, MPH (Head & Neck Surgery)  
Katherine Schwarzlose, MSN, RN, ACNS (Head & Neck Surgery)  
Andrew Sikora, MD, PhD (Head and Neck Surgery)  
Shirley Su, MD (Head and Neck Surgery)  
Jennifer Wang, MD (Head & Neck Surgery)  
Randal Weber, MD (Head & Neck Surgery)  
Mark Zafereo, MD (Head & Neck Surgery)<sup>‡</sup>

<sup>‡</sup> Core Development Team Lead

<sup>♦</sup> Clinical Effectiveness Development Team